

Devon IT Ceptor Thin Client
Quick Setup Guide



Notes, Cautions, and Warnings



NOTE: A NOTE indicates important information that helps you make better use of your computer.



CAUTION: A CAUTION indicates potential damage to hardware or loss of data if instructions are not followed.



WARNING: A WARNING indicates a potential for property damage, personal injury, or death.

Information in this publication is subject to change without notice.

© 2013 Devon IT All rights reserved.

Federal Communications Commission (FCC) Statement

You are cautioned that changes or modifications not expressly approved by the part responsible for compliance could void the user's authority to operate the equipment.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- **-Reorient or relocate the receiving antenna.**
- **-Increase the separation between the equipment and receiver.**
- **-Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.**
- **-Consult the dealer or an experienced radio/TV technician for help.**

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

- 1) this device may not cause interference and**
- 2) this device must accept any interference, including interference that may cause undesired operation of the device.**

FCC RF Radiation Exposure Statement:

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment.

End users must follow the specific operating instructions for satisfying RF exposure compliance.

This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

This equipment should be installed and operated with a minimum distance of 20 centimeters between the radiator and your body.

Devon IT Ceptor Thin Client Quick Setup Guide


Before Setting Up Your Ceptor


Your Ceptor thin client is shipped along with a power cord. For further instructions on how to set up new connections, settings, and management tools, please see the Ceptor DeTOS Manual which can be found on the Devon IT website, devonit.com.



NOTE: Inspect all parts visually for damage. If anything is damaged, please contact Devon IT immediately to report the issue.

Setup and Features Information





3 LED

4 USB Port

5 Micro USB Port

Quick Setup

- 1 Connect the Ceptor to the HDMI port on the back of the monitor.



- 2 Connect the mouse and keyboard to the USB port. If necessary, you may need to use a USB cable splitter, or you can use a wireless USB connector.



- 3 Connect the power supply to the Ceptor's power connector.



△ CAUTION: It is important to not interrupt the power to the Ceptor while executing a firmware upgrade. Loss of power can result in a damaged operating system.

Specifications



NOTE: The following specifications are only those required by law to ship with your Ceptor. For a complete and current listing of the specifications for your thin client, go to devonit.com/support.

Environmental

Temperature:

Operating	32° to 95° F (0° to 35° C)
-----------	----------------------------

Storage	-4° to 140° F (-20° to 60° C)
---------	-------------------------------

Relative humidity	20% to 80% non-condensing
-------------------	---------------------------

Altitude:

Operating	-15.2 to 2000 m (-50 to 6561.7 ft)
-----------	------------------------------------

Storage	-15.2 to 10,665 m (-50 to 35,000 ft)
---------	--------------------------------------

Getting Help

Please visit the support page on our website, <http://www.devonit.com/support>, to find web forms that allow you to create inquiry tickets with the technical support department and submit Return Material Authorization (RMA) forms for our products.

Support Center phone lines are open 24 hours, 7 days a week.

Toll Free: 1-800-369-7290

Local Phone: 610-757-4220

Warranty information and registration can be found at:

<http://www.devonit.com/products/products-warranty.php>

Devon IT Ceptor Thin Client

Quick Setup Guide

Devon IT, Inc.
1100 First Ave.
King of Prussia, PA 19406

devonit.com

